

**Ersatzverdichter:
Bristol -> GMCC & Panasonic**

Modell	Spannung	Kältemittel	Leistung (kW)*	COP	Alternative	Hersteller	Bauart	Leistung (kW)*	COP
H71J193ABK	220-240V/1F/50Hz	R407C	4,20	2,96	PG225X2C-4FT	GMCC	Rotations	3,97	3,08
H71J223ABK	220-240V/1F/50Hz	R407C	5,30	3,10	PG330G2C-7KTS	GMCC	Rotations	5,53	3,06
H71J323ABK	220-240V/1F/50Hz	R407C	7,40	3,22	PG400G2C-7FTS	GMCC	Rotations	6,74	3,06
H71J383ABK	220-240V/1F/50Hz	R407C	9,17	3,28	C-SBN261H5A	Panasonic	Scroll	9,70	2,85
H71J383DBV	380-415V/3F/50Hz	R407C	9,14	3,29	C-SBN263H8A	Panasonic	Scroll	9,60	2,87
H71J433ABK	220-240V/1F/50Hz	R407C	10,10	3,22	C-SBN261H5A	Panasonic	Scroll	9,70	2,85
H71J433DBV	380-415V/3F/50Hz	R407C	10,20	3,26	C-SBN263H8A	Panasonic	Scroll	9,60	2,87
H73A423ABK	220-240V/1F/50Hz	R407C	9,14	2,96	C-SBN261H5A	Panasonic	Scroll	9,70	2,85
H73A423DBE	380-415V/3F/50Hz	R407C	9,20	2,97	C-SBN263H8A	Panasonic	Scroll	9,60	2,87
H73A463ABK	220-240V/1F/50Hz	R407C	10,26	3,02	C-SBN261H5A	Panasonic	Scroll	9,70	2,85
H73A463DBE	380-415V/3F/50Hz	R407C	10,14	2,91	C-SBN263H8A	Panasonic	Scroll	9,60	2,87
H73A543DBE	380-415V/3F/50Hz	R407C	12,04	2,98	C-SBN303H8A	Panasonic	Scroll	11,60	3,05
H79A563DBV	380-415V/3F/50Hz	R407C	12,70	3,36	C-SBN353H8A	Panasonic	Scroll	13,40	2,91
H73A623DBE	380-415V/3F/50Hz	R407C	13,54	2,98	C-SBN353H8A	Panasonic	Scroll	13,40	2,91
H79A623DBV	380-415V/3F/50Hz	R407C	13,60	3,30	C-SBN353H8A	Panasonic	Scroll	13,40	2,91
H79A723DBE	380-415V/3F/50Hz	R407C	16,32	3,20	C-SBN453H8A	Panasonic	Scroll	17,60	3,03
H79B17UABH	220-240V/1F/50Hz	R407C	3,84	3,00	PG225X2C-4FT	GMCC	Rotations	3,97	3,08
H79B18UABH	220-240V/1F/50Hz	R407C	4,13	3,00	PG225X2C-4FT	GMCC	Rotations	3,97	3,08
H79B22UABH	220-240V/1F/50Hz	R407C	5,25	3,10	PG330G2C-7KTS	GMCC	Rotations	5,53	3,06
H79B24UABH	220-240V/1F/50Hz	R407C	5,42	3,10	PG330G2C-7KTS	GMCC	Rotations	5,53	3,06
H79B26UABH	220-240V/1F/50Hz	R407C	6,00	3,11	PG330G2C-7KTS	GMCC	Rotations	5,53	3,06
H79B28UABH	220-240V/1F/50Hz	R407C	6,36	3,00	PG400G2C-7FTS	GMCC	Rotations	6,74	3,06
H79B30UABH	220-240V/1F/50Hz	R407C	6,70	3,09	PG400G2C-7FTS	GMCC	Rotations	6,74	3,06
H79B32UABH	220-240V/1F/50Hz	R407C	7,03	3,10	PG400G2C-7FTS	GMCC	Rotations	6,74	3,06
H92G094DBE	380-415V/3F/50Hz	R407C	20,50	3,20	C-SBS235H38B	GMCC	Scroll	19,50	3,10
H92G104DBE	380-415V/3F/50Hz	R407C	23,90	3,10	C-SCN603H8K	Panasonic	Scroll	24,50	3,16
H92G124DBE	380-415V/3F/50Hz	R407C	27,90	3,00	C-SCN673H8K	Panasonic	Scroll	26,50	3,12
H92G144DBE	380-415V/3F/50Hz	R407C	33,00	3,10	C-SCN903H8K	Panasonic	Scroll	34,90	3,09
R92J183ABK	220-240V/1F/50Hz	R407C	4,20	3,04	PG225X2C-4FT	GMCC	Rotations	3,97	3,08
R92J203ABK	220-240V/1F/50Hz	R407C	4,60	3,05	PG225X2C-4FT	GMCC	Rotations	3,97	3,08
R92J223ABK	220-240V/1F/50Hz	R407C	5,20	3,08	PG330G2C-7KTS	GMCC	Rotations	5,53	3,06
R92J243BBK	220-240V/1F/50Hz	R407C	5,90	3,17	PG330G2C-7KTS	GMCC	Rotations	5,53	3,06
R92J253ABK	220-240V/1F/50Hz	R407C	6,10	3,26	PG330G2C-7KTS	GMCC	Rotations	5,53	3,06
R92J273ABK	220-240V/1F/50Hz	R407C	6,40	3,22	PG400G2C-7FTS	GMCC	Rotations	6,74	3,06
R92J383ABK	220-240V/1F/50Hz	R407C	9,20	3,27	C-SBN261H5A	Panasonic	Scroll	9,70	2,85
R92J383DBV	380-415V/3F/50Hz	R407C	8,80	3,21	C-SBN263H8A	Panasonic	Scroll	9,60	2,87
R92J433ABK	220-240V/1F/50Hz	R407C	9,60	3,06	C-SBN261H5A	Panasonic	Scroll	9,70	2,85
R92J433DBV	380-415V/3F/50Hz	R407C	9,70	3,10	C-SBN263H8A	Panasonic	Scroll	9,60	2,87
H82J263DBV	380-415V/3F/50Hz	R410A	6,50	3,01	YA281X3CS-4MT	GMCC	Rotations	6,92	3,05

* ARI Messbedingungen

**Sanyo - Panasonic

